Contents to volume 213

Review Letters

Higher plant phospho*enol*pyruvate carboxylase: Structure and regulation (FEB 04484) *C.S. Andreo, D.H. Gonzalez, A.A. Iglesias* 1

The measurement of free radical reactions in humans: Some thoughts for future experimentation (FEB 04485) *B. Halliwell, M. Grootveld* 9

Research Letters

Biologically significant scavenging of the myeloperoxidase-derived oxidant hypochlorous acid by ascorbic acid: Implications for antioxidant protection in the inflamed rheumatoid joint (FEB 04486) *B. Halliwell, M. Wasil, M. Grootveld* 15

Changes in the kinetic properties and phosphorylation state of phospho*enol*pyruvate carboxylase in *Zea mays* leaves in reponse to light and dark (FEB 04477) *G.A. Nimmo, G.A.L. McNaughton, C.A. Fewson, M.B. Wilkins, H.G. Nimmo* 18

Allopurinol and oxypurinol are hydroxyl radical scavengers (FEB 04481) *P.C. Moorhouse, M. Grootveld, B. Halliwell, J.G. Quinlan, J.M.C. Gutteridge* 23

Transbilayer organization of the main chlorophyll *a*/*b*-protein of photosystem II of thylakoid membranes (FEB 04487) *J.M. Anderson, D.J. Goodchild* 29

Inhibition of taurocholate efflux from rat hepatic canalicular membrane vesicles by glutathione disulfide (FEB 04446) *J.C. Griffiths, H. Sies, P.J. Meier, T.P.M. Akerboom* 34

Only water-exposed carboxyl groups are protonated during the transition to the cation-free blue bacteriorhodopsin (FEB 04470) *K. Gerwert, U.M. Ganter, F. Siebert, B. Hess* 39

Protonmotive-force-driven leucine uptake in yeast plasma membrane vesicles (FEB 04454) *M. Opekarovà, A.J.M. Driessen, W.N. Konings* 45

Electrochemical characteristics of platinum electrodes coated with cytochrome b_5-phospholipid monolayers (FEB 04455) *B.N. Zaba, M.C. Wilkinson, D.M. Taylor, T.J. Lewis, D.L. Laidman* 49

Affinity labelling of neuronal acetylcholine receptors localizes acetylcholine-binding sites to their β-subunits (FEB 04478) *P. Whiting, J. Lindstrom* 55

Amino acid neurotransmitters in the CNS: Relationships between net uptake and exchange in rat brain synaptosomes (FEB 04483) *M. Erecińska, D. Nelson* 61

Regulatory role of the ATPase inhibitor protein on proton conduction by mitochondrial H^+-ATPase complex (FEB 04479) *F. Guerrieri, R. Scarfò, F. Zanotti, Y.W. Che, S. Papa* 67

The family of human Na^+,K^+-ATPase genes: A partial nucleotide sequence related to the α-subunit (FEB 04429) *Yu.A. Ovchinnikov, G.S. Monastyrskaya, N.E. Broude, R.L. Allikmets, Yu.A. Ushkaryov, A.M. Melkov, Yu.V. Smirnov, I.V. Malyshev, I.E. Dulubova, K.E. Petrukhin, A.V. Gryshin, V.E. Sverdlov, N.I. Kiyatkin, M.B. Kostina, N.N. Modyanov, E.D. Sverdlov* 73

The protein receptor for cholerabacteriophage φ149 (FEB 04453) *R. Ray, U. Ganguly* 81

Counteraction by 20-hydroxyecdysone of the effect of juvenile hormone on phosphorylation of ribosomal protein S6 (FEB 04475) *K. Itoh, K. Ueno, S. Natori* 85

Platelet-derived growth factor: Phorbol ester induces the expression of the B-chain but not of the A-chain in HEL cells (FEB 04476) *H.A. Weich, D. Herbst, H.U. Schairer, J. Hoppe* 89

Inositol 1,4,5-trisphosphate (IP_3) induced rapid formation of thromboxane B_2 in saponin-permeabilised human platelets: mechanism of IP_3 action (FEB 04473) *K.S. Authi, E.J. Hornby, B.J. Evenden, N. Crawford* 95

Brain spectrin fragments and crosslinks actin filaments (FEB 04474) *M. Strömqvist* 102

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/87/$3.50 © 1987 Federation of European Biochemical Societies

A simple, one-step purification of cytochrome *b* from the bc_1 complexes of bacteria (FEB 04441) *W.E. Payne, B.L. Trumpower* 107
Retinal Schiff base position relative to the surfaces of photoreceptor disk (FEB 04448) *N.G. Abdulaev, I.R. Nabiev, R.G. Efremov, G.D. Chumanov* 113
Excitation energy transfer in spinach chloroplasts: Analysis by the time-resolved fluorescence spectrum at −196°C in the picosecond time range (FEB 04468) *M. Mimuro, N. Tamai, T. Yamazaki, I. Yamazaki* 119
7-Mercaptoheptanoylthreonine phosphate functions as component B in ATP-independent methane formation from methyl-CoM with reduced cobalamin as electron donor (FEB 04469) *D. Ankel-Fuchs, R. Böcher, R.K. Thauer, K.M. Noll, R.S. Wolfe* 123
The antimycin-sensitive electrogenesis in *Rhodopseudomonas sphaeroides* chromatophores (FEB 04482) *L.A. Drachev, M.D. Mamedov, A.Yu. Semenov* 128
Expression of the T4 molecule (AIDS virus receptor) by human brain-derived cells (FEB 04416) *S. Dewhurst, M. Stevenson, D.J. Volsky* 133
Susceptibility of human glial cells to infection with human immunodeficiency virus (HIV) (FEB 04471) *S. Dewhurst, J. Bresser, M. Stevenson, K. Sakai, M.J. Evinger-Hodges, D.J. Volsky* 138
Synthesis and turnover rates of four rat liver mitochondrial RNA species (FEB 04423) *P. Cantatore, Z. Flagella, F. Fracasso, A.M.S. Lezza, M.N. Gadaleta, A. de Montalvo* 144
Glucose regulates preproinsulin messenger RNA levels in a clonal cell line of simian virus 40-transformed B cells (FEB 04466) *P. Hammonds, P.N. Schofield, S.J.H. Ashcroft* 149
Spacer alterations which increase the expression of porcine growth hormone in *E. coli* (FEB 04467) *P.D. Vize, J.R.E. Wells* 155
Co-solubilization of asymmetric acetylcholinesterase and dermatan sulfate proteoglycan from the extracellular matrix of rat skeletal muscles (FEB 04464) *E. Brandan, N.C. Inestrosa* 159
Demonstration of an epidermal growth factor-dependent 58 kDa phosphoprotein secreted by rat kidney fibroblasts (FEB 04489) *B. Binas, R. Grosse* 164
Synthesis of 11,12-leukotriene A_4, 11*S*,12*S*-oxido-5*Z*,7*E*,9*E*,14*Z*-eicosatetraenoic acid, a novel leukotriene of the 12-lipoxygenase pathway (FEB 04493) *S. Kitamura, T. Shimizu, T. Izumi, Y. Seyama* 169
Possible involvement of prostaglandins in vasoconstriction induced by zymosan and arachidonic acid in the perfused rat liver (FEB 04494) *P. Dieter, J.G. Altin, F.L. Bygrave* 174
A photoaffinity label for the thromboxane A_2/prostaglandin H_2 receptor in human blood platelets (FEB 04495) *E.J. Kattelman, S.K. Arora, C.T. Lim, D.L. Venton, G.C. Le Breton* 179
Identification of a new 84/82 kDa calmodulin-binding protein, which also interacts with actin filaments, tubulin and spectrin, as synapsin I (FEB 04491) *T. Okabe, K. Sobue* 184
Cloning and expression of cDNA encoding human basic fibroblast growth factor (FEB 04492) *T. Kurokawa, R. Sasada, M. Iwane, K. Igarashi* 189
Bimodal regulation of secretion by cytoplasmic Ca^{2+} as demonstrated by the parathyroid (FEB 04496) *P. Nygren, R. Larsson, E. Lindh, S. Ljunghall, J. Rastad, G. Åkerström, E. Gylfe* 195
GTP dependence of the transduction of mitogenic signals through the T3 complex in T lymphocytes indicates the involvement of a G-protein (FEB 04490) *T. Mustelin* 199
Inhibition of terminal deoxynucleotidyl transferase by adenine dinucleotides: Unique inhibitory action of Ap5A (FEB 04505) *V.N. Pandey, S.B. Amrute, J.G. Satav, M.J. Modak* 204
A quantitative analysis of the metabolic pathways of hepatic glucose synthesis in vivo with ^{13}C-labeled substrates (FEB 04498) *B. Kalderon, A. Gopher, A. Lapidot* 209
Separation of damage specific DNA endonuclease activities present in calf thymus (FEB 04497) *D.E. Helland, R. Male, K. Kleppe* 215
The human preproapolipoprotein C-II gene: Complete nucleic acid sequence and genomic organization (FEB 04506) *S.S. Fojo, S.W. Law, H.B. Brewer, jr* 221

Notes to Authors 227

Review Letter

Human immunoglobulin heavy-chain multigene deletions in healthy individuals (FEB 04536) *M.-P. Lefranc, G. Lefranc* 231

Hypothesis

The leader peptides from bacteriorhodopsin and halorhodopsin are potential membrane-spanning amphipathic helices (FEB 04519) *G. von Heijne, J.P. Segrest* 238

Research Letters

The primary reaction of photosystem II in the D1–D2–cytochrome *b*-559 complex (FEB 04514) *R.V. Danielius, K. Satoh, P.J.M. van Kan, J.J. Plijter, A.M. Nuijs, H.J. van Gorkom* 241

Cloning, nucleotide sequence and transfer of genes for the B800-850 light harvesting complex of *Rhodobacter sphaeroides* (FEB 04513) *M.K. Ashby, S.A. Coomber, C.N. Hunter* 245

Molecular cloning of *Clostridium difficile* toxin A gene fragment in λ gtll (FEB 04525) *L. L.Muldrow, G.C. Ibeanu, N.I. Lee, N.K. Bose, J. Johnson* 249

Molecular cloning and characterization of a full-length cDNA clone for human plasminogen (FEB 04511) *M. Forsgren, B. Råden, M. Israelsson, K. Larsson, L.-O. Hedén* 254

Expression of the cell-binding domain of human fibronectin in *E. coli*: Identification of sequences promoting full to minimal adhesive function (FEB 04520) *M. Obara, M.S. Kang, S. Rocher-Dufour, A. Kornblihtt, J.P. Thiery, K.M. Yamada* 261

The three-dimensional similarity between a dimeric antiparallel extended structure and a β-turn folded form of enkephalin (FEB 04522) *M. Doi, M. Tanaka, T. Ishida, M. Inoue* 265

A comparison of the restrained molecular dynamics and distance geometry methods for determining three-dimensional structures of proteins on the basis of interproton distances (FEB 04500) *G.M. Clore, M. Nilges, A.T. Brünger, M. Karplus, A.M. Gronenborn* 269

The only inositol tetrakisphosphate detectable in avian erythrocytes is the isomer lacking phosphate at position 3: a NMR study (FEB 04508) *G.W. Mayr, W. Dietrich* 278

^{19}F NMR study of 5-fluorotryptophan-labeled bacteriorhodopsin (FEB 04501) *A.S. Arseniev, A.B. Kuryatov, V.I. Tsetlin, V.F. Bystrov, V.T. Ivanov, Yu.A. Ovchinnikov* 283

^{1}H resonances of proximal histidine in CO complexes of hemoglobins provide a sensitive probe of coordination geometry (FEB 04509) *C. Dalvit, L. Tennant, P.E. Wright* 289

The presence of the 30 nm filament structure of chromatins in intact chicken erythrocytes observed by ^{31}P NMR (FEB 04529) *S. Nishimoto, H. Akutsu, Y. Kyogoku* 293

dam methylase from *E. coli*: Circular dichroism investigations of the secondary structure and influence of *S*-adenosylmethionine (FEB 04499) *A. Kriebardis, W. Guschlbauer* 297

The structure of the 5 S ribosomal RNA of a member of the phylum of green non-sulfur bacteria and relatives (FEB 04517) *H. Van den Eynde, E. Stackebrandt, R. De Wachter* 301

Characterization of *Phytomonas* sp. kinetoplast DNA: A plant pathogenic trypanosomal species (FEB 04504) *J.-F. Riou, M. Dollet, J.-C. Ahomadegbe, D. Coulaud, G. Riou* 304

Antibodies specific for N^6-methyladenosine react with intact snRNPs U2 and U4/U6 (FEB 04518) *P. Bringmann, R. Lührmann* 309

Inhibition of actin polymerization by latrunculin A (FEB 04515) *M. Coué, S.L. Brenner, I. Spector, E.D. Korn* 316

The tissue form of chicken type VI collagen (FEB 04507) *T. Schreier, K.H. Winterhalter, B. Trüeb* 319

Isolation of NADPH:isoflavone oxidoreductase, a new enzyme of Pterocarpan phytoalexin biosynthesis in cell suspension cultures of *Cicer arietinum* (FEB 04512) *K. Tiemann, W. Hinderer, W. Barz* 324
Biosynthesis and intracellular transport of glyoxysomal malate dehydrogenase in germinating pumpkin cotyledons (FEB 04523) *J. Yamaguchi, H. Mori, M. Nishimura* 329
Effects of organic solvents and orthophosphate on the ATPase activity of F1 ATPase (FEB 04510) *L. de Meis* 333
ATP release from pure cholinergic synaptosomes is not blocked by tetanus toxin (FEB 04502) *X. Rabasseda, C. Solsona, J. Marsal, G. Egea, B. Bizzini* 337
B-Z DNA conformational transition in 1:1 electrolytes: dependence upon counterion size (FEB 04503) *D.M. Soumpasis, M. Robert-Nicoud, T.M. Jovin* 341
Two distinct DNA ligases from *Drosophila melanogaster* embryos (FEB 04530) *M. Takahashi, M. Senshu* 345
A new GTP-binding protein in brain tissues serving as the specific substrate of islet-activating protein, pertussis toxin (FEB 04521) *T. Katada, M. Oinuma, K. Kusakabe, M. Ui* 353
Identification of the serotonin-S_2 receptor ligand binding site by photoaffinity labelling with 7-azido-8-[^{125}I]ketanserin ([^{125}I]AZIK) (FEB 04516) *W. Wouters, J. Van Dun, P.M. Laduron* 359
Cyclic AMP-like effects of polyamines on phosphatidylcholine synthesis and protein phosphorylation in human promyelocytic leukemia HL60 cells: Comparison with the effects of phorbol ester (FEB 04524) *Z. Kiss, E. Deli, J.F. Kuo* 365
Oxidation-reduction midpoint potentials of the molybdenum center in spinach NADH:nitrate reductase (FEB 04528) *M.J. Barber, B.A. Notton, L.P. Solomonson* 372
Spinach leaf 6-phosphofructo-2-kinase: Isolation of a new enzyme form that undergoes ATP-dependent modification (FEB 04527) *G.H. Walker, S.C. Huber* 375
Mode of inhibition of sodium azide on H^+-ATPase of *Escherichia coli* (FEB 04531) *T. Noumi, M. Maeda, M. Futai* 381
Processing of *Bacillus subtilis* succinate dehydrogenase and cytochrome *b*-558 polypeptides: Lack of covalently bound flavin in the *Bacillus* enzyme expressed in *Escherichia coli* (FEB 04488) *L. Hederstedt, T. Bergman, H. Jörnvall* 385
NMR study of the interaction between cytochrome b_5 and cytochrome *c*: Observation of a ternary complex formed by the two proteins and $[Cr(en)_3]^{3+}$ (FEB 04526) *R.T. Hartshorn, A.G. Mauk, M.R. Mauk, G.R. Moore* 391
Two-electron reduction is required for rapid internal electron transfer in resting, pulsed and oxygenated cytochrome *c* oxidase (FEB 04535) *M. Fabian, P.-E. Thörnström, P. Brzezinski, B.G. Malmström* 396
Permeabilization of thymocytes by photon activation of erythrosin (FEB 04542) *G. Yonuschot, E.K. Matthews, A.N. Corps, J.C. Metcalfe* 401
Neurotrophic effect of naturally occurring long-chain fatty alcohols on cultured CNS neurons (FEB 04537) *J. Borg, J. Toazara, H. Hietter, M. Henry, G. Schmitt, B. Luu* 406
Evidence for bile acid glucosides as normal constituents in human urine (FEB 04543) *H.-U. Marschall, B. Egestad, H. Matern, S. Matern, J. Sjövall* 411
Complement-mediated adherence of immune complexes to human erythrocytes: Difference in the requirements for C4A and C4B (FEB 04538) *J.A. Schifferli, G. Hauptmann, J.-P. Paccaud* 415
Adenosine and oxytocin reverse antagonism of cyclic AMP elevating agents to insulin activation of adipocyte pyruvate dehydrogenase (FEB 04544) *E.H.A. Wong, J.A. Smith, L. Jarett* 419
The hydration of protein secondary structures (FEB 04534) *D.J. Barlow, P.L. Poole* 423
The cytoskeletal protein vinculin is acylated by myristic acid (FEB 04533) *S. Kellie, N.M. Wigglesworth* 428
Reannealing of phalloidin-treated actin filaments during recovery after sonication and its inhibition by β-actinin (FEB 04541) *M. Oosawa, K. Maruyama* 433
Nucleotide sequence of the open reading frames adjacent to the coat protein cistron in potato virus X genome (FEB 04540) *S.Yu. Morozov, L.I. Lukasheva, B.K. Chernov, K.G. Skryabin, J.G. Atabekov* 438

Competition between tetracycline and tRNA at both P and A sites of the ribosome of *Escherichia coli* (FEB 04457) *B. Epe, P. Woolley, H. Hornig* 443

The molecular basis of the inherited deficiency of androsterone UDP-glucuronyltransferase in Wistar rats (FEB 04556) *R.B. Corser, M.W.H. Coughtrie, M.R. Jackson, B. Burchell* 448

An asymmetric low-spin EPR signal of cytochrome b_6 in the cytochrome b_6f-complex from spinach chloroplasts (FEB 04551) *W. Nitschke, G. Hauska* 453

Author Index 456

Table of contents 462

Notes to Authors 467

FEBS News

FEBS Officers, Advanced Courses 1987 and Guidelines for Fellowships 469